

# ABO – CENTER

V/ Henriksens Elektronik

## Tekniske data VX7000

### TYPE:

458x, 1993 - 1995

<b>Specifications</b>	
Dimensions W*H*D	54*8,5*30 cm
Weight	8,5 kg
Cabinet finish	Black, White
Terminal recommended via	BeoLink 5000
BeoVision	
Tuner range	VHF - S - Hyper – UHF UHF (4589)
CTV system	B/G PAL PAL I (4589) B/C/PAL/SECAM (4585)
Number of TV programmes	59
Stereo decoder	NICAM + A2 A2 (4403)
Recording system	HQ
Slow motion video	1/7x normal speed
Still picture video	Noiseless
Counter	Track, time left, time used
Timer programming	8, 1 year
Sound system	Hi-Fi stereo
Video max. playing time	SP 4 hours, LP 8 hours(E-240)
Audio playing time	LP 8 hours(E-240)
Power consumption/ Minimum	34 watts/ 10 watts
Cassette format	VHS
Playback tapes rec. in	NTSC 4,43 MHz or PAL 60 Hz
Fast forward and rewind	Less than 5 min. E-240
Search forward SP	7x and 15x normal speed
Search backward SP	2x and 7x normal speed
Search forward LP	5x and 13x normal speed
Search backward LP	2x and 5x normal speed
Tape heads	5 video, 2 Hi-Fi audio
Connections:	
AV	AV Link 21-pin socket
RF input socket	75 ohms
RF output socket	75 ohms
Camcorder IN	3 phono sockets
Camera pause	Jack 2,5 socket

# **ABO – CENTER**

V/ Henriksens Elektronik

**ABO - CENTER v/Henriksens Elektronik**

# ABO – CENTER

V/ Henriksens Elektronik

## Tekniske data VX7000 Beo4

### TYPE:

461x, 1995 - 1997

<b>Specifications</b>	
Dimensions W*H*D	54*8,5*30 cm
Weight	8,5 kg
Cabinet finish	Black, White
Terminal recommended via	Beo 4
BeoVision	
Tuner range	VHF - S - Hyper – UHF UHF (4589)
CTV system	B/G PAL PAL I (4589) B/C/PAL/SECAM (4585)
Number of TV programmes	59
Stereo decoder	NICAM + A2
Recording system	HQ
Slow motion video	1/7x normal speed
Still picture video	Noiseless
Counter	Track, time left, time used
Timer programming	8, 1 year
Sound system	Hi-Fi stereo
Video max. playing time	SP 4 hours, LP 8 hours(E-240)
Audio playing time	LP 8 hours(E-240)
Power consumption/ Minimum	34 watts/ 10 watts
Cassette format	VHS
Playback tapes rec. in	NTSC 4,43 MHz or PAL 60 Hz
Fast forward and rewind	Less than 5 min. E-240
Search forward SP	7x and 15x normal speed
Search backward SP	2x and 7x normal speed
Search forward LP	5x and 13x normal speed
Search backward LP	2x and 5x normal speed
Tape heads	5 video, 2 Hi-Fi audio
Connections:	
AV	AV Link 21-pin socket
RF input socket	75 ohms
RF output socket	75 ohms
Camcorder IN	3 phono sockets
Camera pause	Jack 2,5 socket

# ABO – CENTER

V/ Henriksens Elektronik

## Tekniske data VX7000 Beo4

### TYPE:

461x, 1995 - 1997

<b>Specifications</b>	
Dimensions W*H*D	54*8,5*30 cm
Weight	8,5 kg
Cabinet finish	Black, White
Terminal recommended via	Beo 4
BeoVision	
Tuner range	VHF - S - Hyper – UHF UHF (4589)
CTV system	B/G PAL PAL I (4589) B/C/PAL/SECAM (4585)
Number of TV programmes	59
Stereo decoder	NICAM + A2
Recording system	HQ
Slow motion video	1/7x normal speed
Still picture video	Noiseless
Counter	Track, time left, time used
Timer programming	8, 1 year
Sound system	Hi-Fi stereo
Video max. playing time	SP 4 hours, LP 8 hours(E-240)
Audio playing time	LP 8 hours(E-240)
Power consumption/ Minimum	34 watts/ 10 watts
Cassette format	VHS
Playback tapes rec. in	NTSC 4,43 MHz or PAL 60 Hz
Fast forward and rewind	Less than 5 min. E-240
Search forward SP	7x and 15x normal speed
Search backward SP	2x and 7x normal speed
Search forward LP	5x and 13x normal speed
Search backward LP	2x and 5x normal speed
Tape heads	5 video, 2 Hi-Fi audio
Connections:	
AV	AV Link 21-pin socket
RF input socket	75 ohms
RF output socket	75 ohms
Camcorder IN	3 phono sockets
Camera pause	Jack 2,5 socket

# ABO – CENTER

V/ Henriksens Elektronik

## Tekniske data VX7000 Beo4

### TYPE:

461x, 1995 - 1997

<b>Specifications</b>	
Dimensions W*H*D	54*8,5*30 cm
Weight	8,5 kg
Cabinet finish	Black, White
Terminal recommended via	Beo 4
BeoVision	
Tuner range	VHF - S - Hyper – UHF UHF (4589)
CTV system	B/G PAL PAL I (4589) B/C/PAL/SECAM (4585)
Number of TV programmes	59
Stereo decoder	NICAM + A2
Recording system	HQ
Slow motion video	1/7x normal speed
Still picture video	Noiseless
Counter	Track, time left, time used
Timer programming	8, 1 year
Sound system	Hi-Fi stereo
Video max. playing time	SP 4 hours, LP 8 hours(E-240)
Audio playing time	LP 8 hours(E-240)
Power consumption/ Minimum	34 watts/ 10 watts
Cassette format	VHS
Playback tapes rec. in	NTSC 4,43 MHz or PAL 60 Hz
Fast forward and rewind	Less than 5 min. E-240
Search forward SP	7x and 15x normal speed
Search backward SP	2x and 7x normal speed
Search forward LP	5x and 13x normal speed
Search backward LP	2x and 5x normal speed
Tape heads	5 video, 2 Hi-Fi audio
Connections:	
AV	AV Link 21-pin socket
RF input socket	75 ohms
RF output socket	75 ohms
Camcorder IN	3 phono sockets
Camera pause	Jack 2,5 socket